

II. List of Exhibits

1. Introduction	18
1.1: OLED lighting panel	18
1.2: Coloured OLEDs	20
2. OLED application & design aspects	24
2.1: Novald light sculpture “Palm Frond”	24
2.2: Comparison of lighting technologies	25
2.3: Conventional reflector vs OLED	26
2.4: Illuminated staircase design envisioned with OLED lighting	27
2.5: Lighting in retail setting	28
2.6: OLED-based safety information sign	29
2.7: OLED signage envisioned for automotive applications	30
2.8: Transparent OLED signage prototype	31
2.9: OLED display vs. OLED lighting	32
2.10: OLED with edge contacts	33
2.11: Transparent OLEDs	35
2.12: OLEDs on metals substrate	36
2.13: Flexible OLEDs on plastic substrate	37
2.14: OLEDs on metal showing off-state	39
3. OLED technology – the basics	40
3.1: Quadro OLEDs	40
3.2: Comparison of organic and inorganic LEDs	41
3.3: Construction of OLED	42
3.4: Transparent OLED with Novald PIN OLED [®] technology	45
3.5: Energy level diagram describing fluorescent and phosphorescent emission	47
3.6: OLED device with glass lid encapsulation	49
3.7: Light loss mechanism in OLEDs	50
3.8: Approaches to improve light outcoupling	51
3.9: OLED architectures	53
3.10: Lifetime definitions	54
3.11: White OLED (a) single unit stack and (b) three unit stack	56
3.12: Novald’s Litrinity [®] approach with defect tolerance and uniform illumination	58
3.13: Source concepts for small molecule evaporation	60
3.14: Comparison of source concepts	61

3.15: Cluster tool Sunicel plus 200 (Sunic)	62
3.16: Inline tool VES 400 (Applied Films)	63
3.17: Roll-to-Roll OLED manufacturing system	63
3.18: Color stability of OLED samples	64

4. OLED lighting roadmap 66

4.1: Concept study “Enspiro” by TRILUX and Novaled	66
4.2: Historical development of lamp technology	67
4.3: Performance comparison of conventional sources, typical values	69
4.4: OLED efficacy development	70
4.5: Current state-of-the-art in white OLED	71
4.6: Light extraction scenario in OLEDs	72
4.7: OLED capabilities per manufacturer	73
4.8: Timeline for banning of traditional light bulbs	74
4.9: Required OLED parameters for different applications	75
4.10: OLED-100 targets	76
4.11: Funded programs for OLED lighting in Europe	76
4.12: Funded programs for SSL lighting in the US and the EU	78
4.13: Longer lifetime material allows increased brightness	79
4.14: Lighting panel costs per substrate size	80
4.15: Mass production tools by main toolmakers	81
4.16: Nameplate capacity per substrate size	81
4.17: Sizes of glass substrates	82
4.18: Evolution of OLED panels	83
4.19: Timescale from invention to mass market for notable inventions	85
4.20: OLED lighting roadmap 2010	90

5. OLED lighting market 92

5.1: Orange OLED on metal for ambient lighting	92
5.2: Total cost of ownership for useful light on the work plane	95
5.3: PV powered LEDs, case study	97
5.4: Lighting application in healthcare	99
5.5: Ceiling lighting application with OLED type 1	101
5.6: Ceiling lighting application with OLED type 2	101
5.7: OLED lighting market evolution	103
5.8: Technology adoption cycle	105
5.9: Overview of today’s common lighting sources	107
5.10: OLED value proposition	109
5.11: Five forces framework	110

5.12: Emerging LED lighting industry	114
5.13: Emerging OLED lighting industry	115
5.14: Ingo Maurer “Early Future” lamp using OLED tiles from Osram	116
5.15: Cost-benefit development of OLED lighting	117
5.16: Various forecasts for the OLED lighting market	119
5.17: Comparison of OLED lighting forecasts	120
5.18: Conversion scenarios for current lighting consumption	121
5.19: Granularity of the lighting industry	123
5.20: Four main types of OLED lighting markets	124
5.21: Segmentation of OLED lighting markets	126
5.22: Lighting technology in the healthcare industry	128
5.23: OLED signage for transport applications	129
5.24: Reinventing the window with OLED	130
5.25: Addressable Market for OLED Lighting	131
5.26: General lighting market segment breakdown	132
5.27: Lighting industry value chain	136
5.28: OLED lighting value chain	138

6. How OLED will change lighting 140

6.1: Keep It Simple and Slim – OLED lighting	140
6.2: Rethinking the design of office lighting	142
6.3: Rethinking the design of surface lighting	143
6.4: Rethinking the design of retail lighting	144
6.5: Comparison of area lighting approaches	145
6.6: OLED business opportunities	147
6.7: Friction between existing markets and new technologies	148
6.8: Combining OLED attributes in applications	149
6.9: “Hard” and “Soft” lighting requirements	150
6.10: Lighting application requirements	152
6.11: OLED ON-state, OFF-state and material features	153
6.12: Coloured OLEDs on glass	154
6.13: A realistic view on current OLED lighting capabilities	155
6.14: Business fields for OLED lighting	157
6.15: OLED attributes for lighting	158
6.16: “Enspiro” – a hybrid luminaire study by Trilux & Novaled	159
6.17: OLED attributes for applications	161
6.18: Lighting technology in the automotive industry	162
6.19: OLED attributes for integrated lighting	163
6.20: Applications with OLEDs using metal substrates	164
6.21: OLED requirements in building products	165
6.22: OLED exit sign by Willing & Novaled	167

7. Novalled OLED luminaires – concept studies, designs & prototypes 168

7.1:	Novalled suspension luminaire “Zigzag”	168
7.2:	Novalled desklamp “Victory”	169
7.3:	Novalled booth at Light + Building 2010 in Frankfurt	169
7.4:	Area task luminaire	170
7.5:	Color change luminaire	170
7.6:	Local task luminaire	170
7.7:	Sunlight window	170
7.8:	OLED-on-Steel panel	171
7.9:	Residential concept	171
7.10:	Color change luminaire	171
7.11:	Color change screen	171
7.12:	OLED lighting prototypes	173
7.13:	Novalled desklamp “Victory”	174
7.14:	Details of desklamp “Victory”	175
7.15:	Novalled standard lamp “Fan”	176
7.16:	Details of standard lamp “Fan”	177
7.17:	Novalled light sculpture “Palm Front”	178
7.18:	Details of light sculpture “Palm Front”	179
7.19:	Novalled suspension luminaire “Wave”	180
7.20:	Details of suspension luminaire “Wave”	181
7.21:	Novalled pendant lamp “Tulip”	182
7.22:	Details of pendant lamp “Tulip”	183
7.23:	Novalled suspension luminaire “Zigzag”	184
7.24:	Details of suspension luminaire “Zigzag”	185

IV. Appendix 186

IV.1:	Novalled design object “Sword”	186
IV.2:	Photopic spectral luminous efficiency function	187
IV.3:	Quantities and units used in photometry and radiometr	188
IV.4:	Luminous Intensity and solid angle	189
IV.5:	Illuminance	190
IV.6:	Luminance	191
IV.7:	CIE XYZ color matching	192
IV.8:	xy Chromaticity Diagram	193
IV.8:	xy Chromaticity Diagram with DOE quadrangle	194